

SeaRay'74





**Outstanding
quality in
fiberglass
boats.**

We at Sea Ray Boats are entering our fifteenth year of producing high-quality fiberglass boats. When we introduced the first Sea Ray back in 1959, it was never our intention to be the largest manufacturer in our industry—just the best. This policy has served as our doctrine, and although we have become one of the largest sport and pleasure boat builders in the world, we have never sacrificed our dedication to being the very best.

Throughout the years, Sea Ray has become an industry leader in hull design and construction. It is our policy to use the best materials available, and in sufficient quantities to insure structural integrity second to none. This results in a heavy, rugged hull which provides seaworthiness and a solid, smooth ride. All Sea Ray Boats comply with standards set by the United States Coast Guard and have been inspected for compliance with the safety standards set by the Boating Industry Association. In addition to BIA certification, Sea Rays are designed and engineered in accordance with numerous other BIA and American Boat and Yacht Council recommended practices.

Sea Rays are produced in three of the most modern boat building facilities in the world and are distributed to dealers throughout the United States, Canada, Europe, South America, and Asia.

Look closely at a Sea Ray. Examine the product thoroughly—discuss it with your dealer—compare it with other products on the market today. Then, last but not least,

Ask the man who owns one. We think you, too, will agree—**Sea Ray—outstanding quality in fiberglass boats.**



Oxford, Michigan Plant



Merritt Island, Florida Plant

Phoenix, Arizona Plant



SRV 240 Sundowner

Outstanding Features: Stainless steel safety bow rails. Bow and stern eyes. International Rule running lights. Complete deck hardware. Heavy-duty mechanical steering. Hardtop with sliding cabin windows. Welded anodized Solex safetyglass forward cabin windshield. Easy access forward through weatherproof bow hatch. Bow anchor storage locker.


Below Deck Features: Cabin walls and ceiling carpeted with weatherproof carpeting. Two full-length V bunks. Cabin side storage shelves. Enclosed stand-up head with Monogram sanitary system. Cabin lights.

Cockpit Area: Fully carpeted cockpit. Complete galley including stove, ice box, stainless steel sink with electric water pump and fresh water system. Dinette area featuring a fold-away table with glass holders and seating for four. Converts into a double bunk. Built-in cabinets and shelves. Fully instrumented custom dash with recessed instruments including speedometer and electric fuel gauge. Compass. Binnacle control. Sliding helmsman seat is removable and provides extra counter space with insulated ice chest. Rear seating converts into full-length bunk. Teak covered transom storage area for skis and poles.

Seventy-gallon fuel supply. Soundproof insulated engine compartment. Electric bilge pump. Electric bilge blower. Stainless steel taff rail with boarding ladder. Teak swim, fish, and ski platform. Foam flotation. Custom ventilation system.

Optional Items: Aft cover. Camper aft cover. Cabin drop curtain. Electric horn. Spotlight. Windshield wipers. 110 V A/C 12 V DC refrigerator. 110 V dock-side power system. One-hundred-gallon fuel capacity.

Specifications: Gunwale Length: 25'8". Centerline: 24'4". Beam: 96". Transom Width: 92". Approximate Weight: 4,600 lbs.



SRV 240 Weekender


Outstanding Features: Stainless steel safety bow rails. Bow hatch and storage locker. Bow and stern eyes. International Rule running lights. Complete deck hardware. Heavy-duty mechanical steering. Welded anodized aluminum vented Solex safetyglass windshield.

Below-Deck Features: Full stand-up headroom. Cabin walls and ceiling covered with weatherproof carpeting. Complete galley, including stove, ice chest, stainless steel sink with electric water pump and fresh water storage. Enclosed stand-up head with Monogram sanitary system. Two 8-foot bunks. Cabin lights. Four cabin windows.

Cockpit Area: Two sliding-folding helmsman seats. Fold-away teak drink holders. Full rear seat converts into double bunk with removable cushions which allow easy access to rear of boat. Full carpeted cockpit. Fully instrumented custom dash with recessed instruments including speedometer and electric fuel gauge. Seventy-gallon fuel supply. Compass. Binnacle control. Vinyl soft top. Electric bilge blower. Electric bilge pump. Soundproof insulated engine compartment. Teak covered insulated ice chests and transom storage locker.

Optional Items: Top boot. Aft cover. Camper aft cover. Electric horn. Spotlight. Windshield wipers. 110 V A/C 12 V DC refrigerator. 110 V dockside power system. One-hundred-gallon fuel capacity.

Specifications: Gunwale Length: 25' 8". Centerline: 24' 4". Beam: 96". Transom Width: 92". Approximate Weight: 4,400 lbs.





SRV 240 Sport Bridge II

Outstanding Features: Fiberglass sport bridge with tinted plexiglass venturi windshield and bimini top. Sport bridge seats. Steering and controls. Sport bridge access ladder. Fully instrumented lower control station with recessed instruments including speedometer and electric fuel gauge. Stainless steel safety bow rails. Bow and stern eyes. International Rule running lights. Complete deck hardware. Heavy-duty mechanical steering. Welded anodized aluminum vented Solex safetyglass cabin windshield. Weatherproof deck hatch. Cabin walls and ceiling covered with weatherproof carpeting. Two 8-foot bunks. Cabin lights. Choice of back-to-back bunks or two sliding-folding helmsman seats. Fold-away drink holders. Rear seating arrangement converts into a full-length bunk. Easily cleaned fiberglass innerliner. Seventy-gallon fuel supply. Compass. Electric bilge pump. Electric bilge blower. Soundproof insulated engine compartment. Two insulated ice chests aft. Stainless steel taff rail with boarding ladder. Teak swim, fish, and ski platform. Foam flotation. Custom ventilation system.

Optional Items: Starboard side galley including helmsman seat, stove, ice chest, stainless steel sink with electric water pump and fresh water supply. Dinette area on companion side features a fold-away table with glass holders and seating for four, also converts into double bunk. Aft cover. Camper aft cover. Sport bridge cover. Electric horn. Monogram sanitary system. Marine head. Porta Potti. Spotlight. Windshield wipers. 110 V A/C 12 V DC refrigerator. 110 V dockside power system.

Specifications: Gunwale Length: 25'8". Centerline Length: 24'4". Beam: 96". Transom Width: 92". Approximate Weight: 4,400 lbs.



SRV 240 Cuddy Cabin

Outstanding Features: Stainless steel safety bow rails. Bow and stern eyes. International Rule running lights. Complete deck hardware. Heavy-duty mechanical steering. Welded anodized aluminum vented safetyglass windshield. Cabin walls and ceiling covered with weatherproof carpeting. Weatherproof deck hatch. Two 8-foot bunks. Cabin light. Choice of back-to-back bunk or two sliding-folding helmsman seats. Fold-away teak drink holders. Rear seating converts into a full-length bunk. Easily cleaned fiberglass innerliner. Fully instrumented custom dash with recessed instruments including speedometer and electric fuel gauge. Seventy-gallon fuel supply. Compass. Binnacle control. Vinyl soft top which stores aft when not in use. Electric bilge blower. Electric bilge pump. Soundproof insulated engine compartment. Two insulated ice

chests aft. Stainless steel taff rail with boarding ladder. Teak swim, fish, and ski platform. Foam flotation. Custom ventilation system.

Optional Items: Starboard galley including helmsman seat, stove, ice chest, stainless steel sink with electric water pump and fresh water storage. Dinette area on companion side featuring a fold-away table with glass holders and seating for four, also converts into double bunk. Monogram sanitary system. Marine head. Porta Potti. Top boot. Side curtains. Aft cover. Camper aft cover. Electric horn. Spotlight. Windshield wipers. Mooring cover. 110 V A/C. 12 V DC refrigerator. 110 V dockside power system.

Specifications: Gunwale Length: 25'8". Centerline: 24'4". Beam: 96". Transom Width: 92". Approximate Weight: 5,900 lbs.



SRV 240 Hardtop

Outstanding Features: Stainless steel safety bow rails. Bow and stern eyes. International Rule running lights. Complete deck hardware. Heavy-duty mechanical steering. Welded anodized aluminum vented Solex safetyglass windshield. Side sliding windows enclose cockpit. Weatherproof deck hatch. Cabin walls and ceiling covered with weatherproof carpeting. Hardtop safety grab-rails. Two 8-foot bunks. Cabin lights. Choice of back-to-back bunk or two sliding-folding helmsman seats. Fold-away teak drink holders. Rear seating converts into a full-length bunk. Easily cleaned fiberglass innerliner. Fully instrumented custom dash with recessed instruments including speedometer and electric fuel gauge. Seventy-gallon fuel supply. Compass. Binnacle control. Electric bilge blower. Electric bilge pump. Soundproof insulated engine compartment. Two insulated ice chests aft. Stainless steel taff rail with boarding ladder. Teak swim, fish, and ski platform. Foam flotation. Custom ventilation system.

Optional Items: Starboard side galley including helmsman seat, stove, ice chest, stainless steel sink with electric water pump and fresh water storage. Dinette area on companion side features a fold-away table with glass holders and seating for four, also converts into double bunk. Aft cover. Camper aft cover. Monogram sanitary system. Marine head. Porta Potti. Electric horn. Spotlight. Windshield wipers. 110 V A/C 12 V DC refrigerator. 110 V dockside power system.

Specifications: Gunwale Length: 25' 8". Centerline: 24' 4". Beam: 96". Transom Width: 92". Approximate Weight: 4,200 lbs.



SRV 220 Overnighter

Outstanding Features: Stainless steel safety bow rails. Bow and stern eyes. International Rule running lights. Complete deck hardware. Heavy-duty mechanical steering. Custom styled fiberglass hardtop. Welded aluminum skiff-type safety glass windshield. Large forward hatch provides cabin ventilation and

easy access to forward deck. Two 6-foot bunks. Cabin walls and ceiling covered with weatherproof carpeting. Fully carpeted cockpit. Side panel storage. Fully instrumented custom dash with recessed instruments, including speedometer and electric fuel gauge. Sixty-gallon fuel supply. Binnacle control.

Sliding-folding helmsman seat at driver's control station. Complete galley, including stove, ice chest, stainless steel sink with electric water pump and fresh water storage. Galley located just forward of driver's control station. Dinette area on companion side featuring a fold-away table with glass holders and seating for four. Converts into double bunk. Two insulated ice chests aft. Rear seating converts into a full-length bunk. Electric bilge blower. Electric bilge pump. Soundproof insulated engine compartment. Stainless steel taff rail with boarding ladder. Foam flotation. Custom ventilation system.

Optional Items: Side curtains. Aft cover. Camper aft cover. Monogram sanitary system. Marine head. Porta Potti. Electric horn. Spotlight. Windshield wipers. Teak swim, fish, and ski platform. 110 V A/C 12 V DC refrigerator. 110 V dockside power system.

Specifications: Gunwale Length: 23'0". Centerline Length: 21'7". Beam: 96". Transom Width: 91". Approximate Weight: 3,600 lbs.



SRV 220 Cuddy Cabin

Outstanding Features: Stainless steel safety bow rail. Bow hatch and storage locker. Bow and stern eyes. Running lights. Complete deck hardware. Heavy-duty mechanical steering. Welded aluminum Solex safetyglass walk-thru windshield provides cockpit with ventilation and easy access to forward deck. Two 6-foot bunks. Cabin walls and ceiling covered with weatherproof carpeting. Fully carpeted cockpit. Side panel storage. Fully instrumented custom dash with recessed instruments including speedometer and electric fuel gauge. Seventy-gallon fuel supply. Panel mount throttle and shift control. Back-to-back bunk seats convert into sunbather seats. Teak drink holders. Two insulated ice chests aft. Rear seating converts into a full-length bunk. Stainless steel taff rail with boarding ladder. Vinyl soft top stores aft when not in use. Electric bilge blower. Electric bilge pump. Soundproof insulated engine compartment. Foam flotation. Custom ventilation system.

Optional Items: Top boot. Side curtains. Aft cover. Camper aft cover. Monogram sanitary system. Marine head. Porta Potti. Electric horn. Spotlight. Windshield wipers. Mooring cover. Teak swim, fish, and ski platform.

Specifications: Gunwale Length: 25'0". Centerline: 21'7". Beam: 96". Transom Width: 91". Approximate Weight: 3,400 lbs.





SRV 200

Outstanding Features: Stainless steel safety bow rails. Bow hatch and storage locker. Bow and stern eyes. Running lights. Complete deck hardware. Heavy-duty mechanical steering. Welded aluminum Solex safetyglass walk-thru windshield. Folding forward deck hatch provides easy access to forward deck. Fully instrumented custom dash with recessed instruments including speedometer and electric fuel gauge. Thirty-gallon fuel supply. Extra-large glove box.

Two fold-away teak drink holders. Panel mount throttle and shift control. Back-to-back bucket seats convert into sunbather bunks. Carpeted custom interior. Floor storage area accommodates anchors, skis, and poles. Additional floor storage area has an insulated cooler. Rear jump seats provide extra storage space. Vinyl soft top stores aft when not in use. Electric bilge blower. Electric bilge pump. Soundproof insulated engine compartment. Stainless steel

taff rail with boarding ladder. Foam flotation. Custom ventilation system.

Optional Items: Top boot. Side curtains. Aft cover. Camper aft cover. Electric horn. Spotlight. Windshield wipers. Mooring cover. Teak swim, fish, and ski platform.

Specifications: Gunwale Length: 21' 2". Centerline: 19' 11". Beam: 96". Transom Width: 90". Approximate Weight: 2,700 lbs.





SRV 190

Outstanding Features: Stainless steel safety bow rails. Bow hatch and storage locker. Bow and stern eyes. Running lights. Complete deck hardware. Heavy-duty mechanical steering. Welded aluminum Solex safetyglass walk-thru windshield. Custom dash features recessed instrumentation including electric fuel gauge. Center console with extra large glove box with drink holders. Back-to-back bucket seats convert into sunbather bunks. Carpeted custom interior. Eighteen-gallon fuel supply. Floor storage area accommodates anchor, skis, and poles. Additional floor storage area has an insulated cooler. Rear jump seats provide extra storage. Foam flotation.

Additional Features on Stern-Drive Models: Vinyl soft top stores aft when not in use. Speedometer. Panel mount throttle and shift control. Thirty-gallon fuel supply. Electric bilge blower. Electric bilge pump. Soundproof insulated engine compartment. Custom ventilation system. Stainless steel taff rail with boarding ladder.

Optional Items: Vinyl soft top (outboard models only). Top boot. Side curtains. Aft cover. Electric horn. Spotlight. Windshield wipers. Mooring cover.

Specifications: Gunwale Length: 19'7". Centerline: 18'2". Beam: 89". Transom Width: 84". Approximate Weight: 2,400 lbs. (I/O Model); 1,400 lbs. (O/B Model).

SRV 180

Outstanding Features: Stainless steel bow rails. Bow and stern eyes. Running lights. Complete deck hardware. Heavy-duty mechanical steering. Welded aluminum Solex safetyglass walk thru windshield. Custom dash with recessed instrumentation including electric fuel gauge. Center console with storage and extra-large glove box. Back-to-back bucket seats convert into sunbather bunks. Carpeted custom interior. Eighteen-gallon fuel supply. Floor storage area with insulated cooler. Rear jump seats provide extra storage. Foam flotation. **Additional Features on Stern Drive Models:** Vinyl soft top

stores aft when not in use. Speedometer. Panel mount throttle and shift control. Electric bilge blower. Electric bilge pump. Soundproof insulated engine compartment. Custom ventilation system.

Optional Items: Vinyl soft top (outboard models only). Top boot. Side curtains. Aft cover. Mooring cover. Electric horn. Spotlight. Stainless steel taff rail with boarding ladder (inboard model only).

Specifications: Gunwale Length: 17'8". Centerline: 16'7". Beam: 83". Transom Width: 77". Approximate Weight: 2,100 lbs. (I/O Model); 1,200 (O/B Model).





SRV 193

Outstanding Features: Stainless steel wrap-around safety bow rails. Weathertight forward cockpit. Bow anchor locker underneath bow seat. Bow and stern eyes. Running lights. Complete deck hardware. Welded aluminum Solex safetyglass wall-thru windshield. Heavy-duty mechanical steering. Extra-large glove box. Carpeted custom interior. Floor storage area with insulated cooler. Back-to-back bucket seats convert into sunbather bunks. Rear jump seats provide extra storage. Eighteen-gallon fuel tank. Foam flotation.

Additional Features on Stern Drive Models: Custom dash features recessed instrumentation including speedometer and electric fuel gauge. Vinyl top stores aft when not in use. Panel mount throttle and shift control. Twenty-four gallon fuel supply. Electric bilge blower. Electric bilge pump. Soundproof insulated engine compartment. Custom ventilation system. Stainless steel taff rail and boarding ladder.

Optional Items: Vinyl soft top (outboard model only). Side curtains. Aft cover. Mooring cover. Single trumpet electric horn. Spotlight. Teak fish, swim, and ski platform.

Specifications: Gunwale Length: 20'0". Centerline Length: 18'2". Beam: 89". Transom Width: 84". Approximate Weight: 2,500 lbs. (I/O Model); 1,500 lbs. (O/B Model).

Resale Value: Due to their superior quality, Sea Ray boats consistently bring higher prices at time of resale. Much of this is due to their exceptional structural strength and the use of top quality accessories that hold up through years of use.





Teak swim, fish and ski platform

Warranty: For a period of one year from the date of delivery to the original purchaser, Sea Ray Boats warrants each Sea Ray boat to be free from defects caused by faulty workmanship or material.

During this period, warranty repairs will be made without charge by Sea Ray Boats at their plant, or at Sea Ray's option, by an authorized Sea Ray dealer. Transportation costs are the responsibility of the owner, and all repairs must be approved by an authorized Sea Ray representative. The liability of the company shall be limited to repair or replace any part judged defective by Sea Ray Boats.

Engines, outdrives, propellers, and controls are covered by warranties of the manufacturer supplying these units, and not the provisions of this warranty.

Sea Ray Boats does not warrant used boats, windshield breakage, gelcoat or upholstery damage, or boats or parts which have been altered or subjected to misuse or negligence.

This warranty is in lieu of any other warranty, expressed or implied, or of any nature whatsoever.



Floor storage with insulated ice chest



Bow cockpit storage - SRV 185



Fish traps - SRV 201 (left)

The information contained in this literature is based upon the latest product information available at the time of publication approval. Sea Ray Boats reserves the right to make changes at any time, without notice in the colors, equipment, specifications, materials, hulls and prices—and also, to discontinue models. When changes are made, we reserve the right to do so without incurring the obligations to equip or modify existing models built prior to the date of such changes.

Your Sea Ray Dealer is:

LACRIE'S MARINA LTD.

4 SOUTH KINGSWAY, TOR. 3

762-0231 — 762-0321

Sea Ray Boats, Phoenix, Ariz.

Manufacturing Operations: Oxford, Michigan, Phoenix,
Arizona, Merritt Island, Florida.









SRV 193

Outstanding Features: Stainless steel wrap-around safety bow rails. Weathertight forward cockpit. Bow anchor locker underneath bow seat. Bow and stern eyes. Running lights. Complete deck hardware. Welded aluminum Solex safetyglass walk-thru windshield. Heavy-duty mechanical steering. Extra-large glove box. Carpeted custom interior. Floor storage area with insulated cooler. Back-to-back bucket seats convert into sunbather bunks. Rear jump seats provide extra storage. Eighteen-gallon fuel tank. Foam flotation.

Additional Features on Stern Drive Models: Custom dash features recessed instrumentation including speedometer and electric fuel gauge. Vinyl top stores aft when not in use. Panel mount throttle and shift control. Twenty-four gallon fuel supply. Electric bilge blower. Electric bilge pump. Soundproof insulated engine compartment. Custom ventilation system. Stainless steel tuff rail and boarding ladder.

Optional Items: Vinyl soft top (outboard model only). Side curtains. Aft cover. Mooring cover. Single trumpet electric horn. Spotlight. Teak fish, swim, and ski platform.

Specifications: Gunwale Length: 20' 0". Centerline Length: 18' 2". Beam: 80". Transom Width: 84". Approximate Weight: 2,500 lbs. (I/O Model); 1,500 lbs. (O/B Model).

